

Bibliography

- Akaike, H. (1974). A new look at the statistical model identification. *IEEE transactions on automatic control*, 19(6), 716-723.
- Allard, R. W. (1999). History of plant population genetics. *Annual Review of Genetics*, 33, 1-27.
- Allard, R. W., & Hansche, P. E. (1964). Some parameters of population variability and their implications in plant breeding. *Advances in Agronomy*, 16, 281-325.
- Almekinders, C., & Hardon, J. (2006). *Bringing farmers back into breeding: experiences with participatory plant breeding and challenges for institutionalisation* (Vol. Special No. 5). Wageningen: Agromisa Foundation.
- Almekinders, C. J., Fresco, L. O., & Struik, P. (1995). The need to study and manage variation in agro-ecosystems. *NJAS wageningen journal of life sciences*, 43(2), 127-142.
- Alpert, P., Baldi, M., Ilani, R., Krichak, S., Price, C., Rodo, X., Saaroni, H., Ziv, B., Kishcha, P., & Barkan, J. (2006). Relations between climate variability in the Mediterranean region and the tropics: ENSO, South Asian and African monsoons, hurricanes and Saharan dust. *Developments in Earth and Environmental Sciences*, 4, 149-177.
- Andersen, R. (2005). The Farmers' Rights Project-Background Study 1: The History of Farmers' Rights: A Guide to Central Documents and Literature. (FNI Report 8/2005) Lysaker, Norway: Fridtjof Nansen Institute.
- Annicchiarico, P. (1992). Cultivar adaptation and recommendation from alfalfa trials in Northern Italy. *Journal of Genetics and Breeding*, 46, 269-269.
- Annicchiarico, P. (2002a). Defining adaptation strategies and yield stability targets in breeding programmes. In M. S. Kang (Ed.), *Quantitative genetics, genomics, and plant breeding* (pp. 365-383). New York: CABI
- Annicchiarico, P. (2002b). *Genotype x environment interactions: challenges and opportunities for plant breeding and cultivar recommendations* (Vol. 174). Rome, Italy: Food and Agriculture Organization of the United Nations.
- Annicchiarico, P. (2009). Coping with and exploiting genotype-by-environment interactions. In S. Ceccarelli, EP Guimarães, E. Weltzien (Ed.), *Plant breeding and farmer participation* (pp. 519-564). Rome, Italy: Food and Agriculture Organization of the United Nations.
- Arango, D., Jones, E., Ramirez-Villegas, J., Bonilla, O., & Jarvis, A. (2014). CLIMATE ANALOGUES_2.0 R PACKAGE INSTALLATION AND USER GUIDE. CGIAR Research Program on Climate Change, Agriculture and Food Security (CCAFS).
- Baethgen, W. E. (2010). Climate risk management for adaptation to climate variability and change. *Crop Science*, 50(Supplement_1), 70-76.
- Baldi, M., Dalu, G., Maracchi, G., Pasqui, M., & Cesarone, F. (2006). Heat waves in the Mediterranean: A local feature or a larger-scale effect? *International Journal of Climatology*, 26(11), 1477-1487.
- Beal, T., Massiot, E., Arsenault, J. E., Smith, M. R., & Hijmans, R. J. (2017). Global trends in dietary micronutrient supplies and estimated prevalence of inadequate intakes. *PLoS ONE*, 12(4), e0175554.
- Becker, H., & Leon, J. (1988). Stability analysis in plant breeding. *Plant Breeding*, 101(1), 1-23.
- Birschitzky, J. (2007). Economic perspectives of breeding cereals for organic farming through a combination of organic and conventional selection strategies. *Different models to*

- finance plant breeding, Proceedings of the ECO-PB International Workshop* (Vol. 27, pp. 13-16).
- Bocci, R. (2009). Seed legislation and agrobiodiversity: conservation varieties. *Journal of Agriculture and Environment for International Development (JAEID)*, 103(1/2), 31-49.
- Bocci, R., & Galluzzi, G. (2015). Guida ai sistemi sementieri. Florence: Rete Semi Rurali.
- Bocci, R., Ortolani, L., & Micheloni, C. (2012). The seed sources of organic farmers in Italy. Rome, Italy: Associazione Italiana per l'Agricoltura Biologica (AIAB).
- Brisson, N., Gate, P., Gouache, D., Charmet, G., Oury, F.-X., & Huard, F. (2010). Why are wheat yields stagnating in Europe? A comprehensive data analysis for France. *Field Crops Research*, 119(1), 201-212.
- Brookfield, H., & Padoch, C. (1994). Appreciating agrodiversity: a look at the dynamism and diversity of indigenous farming practices. *Environment: Science and Policy for Sustainable Development*, 36(5), 6-45.
- Brookfield, H., & Stocking, M. (1999). Agrodiversity: definition, description and design. *Global Environmental Change*, 9(2), 77-80.
- Brown, B. G., & Katz, R. W. (1995). Regional analysis of temperature extremes: Spatial analog for climate change? *Journal of Climate*, 8(1), 108-119.
- Brussaard, L., Caron, P., Campbell, B., Lipper, L., Mainka, S., Rabbinge, R., Babin, D., & Pulleman, M. (2010). Reconciling biodiversity conservation and food security: scientific challenges for a new agriculture. *Current opinion in Environmental sustainability*, 2(1), 34-42.
- Carrington, D. (2017). Arctic stronghold of world's seeds flooded after permafrost melts. <https://www.theguardian.com/environment/2017/may/19/arctic-stronghold-of-worlds-seeds-flooded-after-permafrost-melts> [accessed: 20/5/2017]
- Ceccarelli, S. (1996). Positive interpretation of genotype by environment interactions in relation to sustainability and biodiversity. *ICARDA, PO Box 5466, Aleppo (Syria)*.
- Ceccarelli, S. (2012a). Landraces: importance and use in breeding and environmentally friendly agronomic systems. In N. Maxted, M. E. Dooloo, B. V. Ford-Lloyd, L. Frese, J. Iriondo & M. A. A. Pinheiro de Carvalho (Eds.), *Agrobiodiversity conservation: securing the diversity of crop wild relatives and landraces*. (pp. 103-117). New York: CABI.
- Ceccarelli, S. (2012b). Plant breeding with farmers. A technical manual. ICARDA, Aleppo, Syria.
- Ceccarelli, S. (2016). *Mescolate contadini, mescolate - Cos'e' e come si fa il miglioramento genetico partecipativo*. Savona: Pentagora.
- Ceccarelli, S., Acevedo, E., & Grando, S. (1991). Breeding for yield stability in unpredictable environments: single traits, interaction between traits, and architecture of genotypes. *Euphytica*, 56(2), 169-185.
- Ceccarelli, S., Erskine, W., Hamblin, J., & Grando, S. (1994). Genotype by environment interaction and international breeding programmes. *Experimental Agriculture*, 30(2), 177-187.
- Ceccarelli, S., Galie, A., & Grando, S. (2013). Participatory breeding for climate change-related traits. In *Genomics and breeding for climate-resilient crops* (pp. 331-376): Springer.
- Ceccarelli, S., & Grando, S. (2004). Decentralized participatory plant breeding. *ICARDA, P.O. Box 5466, Aleppo, Syria*.

- Ceccarelli, S., Grando, S., Amri, A., Asaad, F., Benbelkacem, A., Harrabi, M., Maatougui, M., Mekni, M., Mimoun, H., & El Einen, R. (2001). Decentralized and participatory plant breeding for marginal environments. In H. D. Cooper, C. Spillane & T. Hodgkin (Eds.), *Broadening the genetic base of crop production*. (pp. 115-135). New York: CABI.
- Ceccarelli, S., Grando, S., Maatougui, M., Michael, M., Slash, M., Haghparsat, R., Rahmanian, M., Taheri, A., Al-Yassin, A., Benbelkacem, A., Labdi, M., Mimoun, H., & Nachit, M. (2010). Plant breeding and climate changes. *The Journal of Agricultural Science*, 148(06), 627-637.
- Ceccarelli, S., Guimarães, E. P., & Weltzien, E. (2009). *Plant breeding and farmer participation*. Rome, Italy: Food and Agriculture Organization of the United Nations.
- Chable, V. (2015). Final Report Summary-SOLIBAM (Strategies for Organic and Low-input Integrated Breeding And Management). http://www.solibam.eu/SOLIBAM/congress_2014.html.
- Chable, V., Goldringer, I., Howlett, S., Barberi, P., Miko, P., Mendes-Moreira, P., Rakszegi, M., Østergård, H., Borgen, A., & Finckh, M. R. (2014). Diversity strategies for organic and low input agricultures and their food systems. *Solibam final congress*. Oniris-La Geraudière, Nantes (France).
- Chambers, R. (1997). *Whose reality counts* (Vol. 25): London: Intermediate technology publications.
- Chambers, R. (2014). *Rural development: Putting the last first*. London: Routledge.
- Chmielewski, F.-M., & Rötzer, T. (2001). Response of tree phenology to climate change across Europe. *Agricultural and Forest Meteorology*, 108(2), 101-112.
- Coombes, N. E. (2006). DiGger, a Design Generator. <http://www.austatgen.org/files/software/downloads>
- Coomes, O. T., McGuire, S. J., Garine, E., Caillon, S., McKey, D., Demeulenaere, E., Jarvis, D., Aistara, G., Barnaud, A., & Clouvel, P. (2015). Farmer seed networks make a limited contribution to agriculture? Four common misconceptions. *Food Policy*, 56, 41-50.
- Cooper, H. D., Spillane, C., & Hodgkin, T. (2001). *Broadening the genetic base of crop production*: CABI.
- Cordell, D., Drangert, J.-O., & White, S. (2009). The story of phosphorus: global food security and food for thought. *Global Environmental Change*, 19(2), 292-305.
- Costanzo, A., & Bàrberi, P. (2016). Field scale functional agrobiodiversity in organic wheat: Effects on weed reduction, disease susceptibility and yield. *European Journal of Agronomy*, 76, 1-16.
- Cowger, C., & Mundt, C. C. (2002). Effects of wheat cultivar mixtures on epidemic progression of Septoria tritici blotch and pathogenicity of Mycosphaerella graminicola. *Phytopathology*, 92(6), 617-623.
- Cowger, C., & Weisz, R. (2008). Winter wheat blends (mixtures) produce a yield advantage in North Carolina. *Agronomy Journal*, 100(1), 169-177.
- Cullis, B. R., Smith, A. B., & Coombes, N. E. (2006). On the design of early generation variety trials with correlated data. *Journal of Agricultural, Biological, and Environmental Statistics*, 11(4), 381-393.
- Dahinden, F., Fischer, E. M., & Knutti, R. (2017). Future local climate unlike currently observed anywhere. *Environmental Research Letters*, 12(8).
- De Boef, W. S., Thijssen, M. H., Shrestha, P., Subedi, A., Feyissa, R., Gezu, G., Canci, A., Fonseca Ferreira, M. A. J. D., Dias, T., & Swain, S. (2012). Moving beyond the

- dilemma: practices that contribute to the on-farm management of agrobiodiversity. *Journal of Sustainable Agriculture*, 36(7), 788-809.
- De Orduna, R. M. (2010). Climate change associated effects on grape and wine quality and production. *Food Research International*, 43(7), 1844-1855.
- De Ponti, T., Rijk, B., & Van Ittersum, M. K. (2012). The crop yield gap between organic and conventional agriculture. *Agricultural systems*, 108, 1-9.
- de Vries, F. T., Thébault, E., Liiri, M., Birkhofer, K., Tsiafouli, M. A., Bjørnlund, L., Jørgensen, H. B., Brady, M. V., Christensen, S., & de Ruiter, P. C. (2013). Soil food web properties explain ecosystem services across European land use systems. *Proceedings of the National Academy of Sciences*, 110(35), 14296-14301.
- Deitch, M. J., Sapundjieff, M. J., & Feirer, S. T. (2017). Characterizing precipitation variability and trends in the world's mediterranean-climate areas. *Water (Switzerland)*, 9(4).
- Demotes-Mainard, S., Doussinault, G., & Meynard, J. (1996). Abnormalities in the male developmental programme of winter wheat induced by climatic stress at meiosis. *Agronomie*, 16(8), 505-515.
- Desclaux, D. (2005). Participatory plant breeding methods for organic cereals. *Proceedings of the COST SUSVAR/ECO-PB workshop on organic plant breeding strategies and the use of molecular markers* (pp. 17-23).
- Di Falco, S., Bezabih, M., & Yesuf, M. (2010). Seeds for livelihood: Crop biodiversity and food production in Ethiopia. *Ecological Economics*, 69(8), 1695-1702.
- Di Falco, S., & Chavas, J.-P. (2009). On crop biodiversity, risk exposure, and food security in the highlands of Ethiopia. *American Journal of Agricultural Economics*, 91(3), 599-611.
- Di Silvestro, R., Marotti, I., Bosi, S., Bregola, V., Carretero, A. S., Sedej, I., Mandic, A., Sakac, M., Benedettelli, S., & Dinelli, G. (2012). Health - promoting phytochemicals of Italian common wheat varieties grown under low - input agricultural management. *Journal of the Science of Food and Agriculture*, 92(14), 2800-2810.
- Dinelli, G., Marotti, I., Di Silvestro, R., Bosi, S., Bregola, V., Accorsi, M., Di Loreto, A., Benedettelli, S., Ghiselli, L., & Catizone, P. (2013). Agronomic, nutritional and nutraceutical aspects of durum wheat (*Triticum durum* Desf.) cultivars under low input agricultural management. *Italian Journal of Agronomy*, 8(2), 12.
- Döring, T. F., Annicchiarico, P., Clarke, S., Haigh, Z., Jones, H. E., Pearce, H., Snape, J., Zhan, J., & Wolfe, M. S. (2015). Comparative analysis of performance and stability among composite cross populations, variety mixtures and pure lines of winter wheat in organic and conventional cropping systems. *Field Crops Research*, 183, 235-245.
- Döring, T. F., Howlett, S., Winkler, L., & Wolfe, M. (2013). Adaptive winter wheat populations in the UK: selected 7 results. *International Symposium on Evolutionary Breeding in Cereals*. Elm Farm, Hamstead Marshall, Newbury, Berkshire RG20 0HR, UK: The Organic Research Centre.
- Döring, T. F., Knapp, S., Kovacs, G., Murphy, K., & Wolfe, M. S. (2011). Evolutionary plant breeding in cereals-into a new era. *Sustainability*, 3(10), 1944-1971.
- Dwivedi, S., L., Lammerts van Bueren, E. T., Ceccarelli, S., Grando, S., Upadhyaya, H. D., & Ortiz, R. (2017). Diversifying Food Systems in the Pursuit of Sustainable Food Production and Healthy Diets. CellPress (Ed.), *Trends in Plant Science*: Elsevier Ltd.
- EEA. (2009). Water resources across Europe - Confronting water scarcity and drought. (2/2009) Luxembourg: European Environment Agency.
- EEA. (2017). Climate change, impacts and vulnerability in Europe 2016 - An indicator-based report. (1/2017) Luxembourg: European Environment Agency.

- Eicher, C. K., Maredia, K., & Sithole-Niang, I. (2006). Crop biotechnology and the African farmer. *Food Policy*, 31(6), 504-527.
- EUROSTAT. (2017). Agriculture database. <http://ec.europa.eu/eurostat/web/agriculture/data/database> [accessed: 18/8/2017]
- FAO. (2015). Coping with climate change – the roles of genetic resources for food and agriculture. Rome.
- FAO. (2016). The state of food and agriculture 2016.
- Fick, S. E., & Hijmans, R. J. (2017). WorldClim 2: new 1 - km spatial resolution climate surfaces for global land areas. *International Journal of Climatology*.
- Finckh, M., Grosse, M., Weedon, O., & Brumlop, S. (2010). Population developments from the F5 to the F9 of three wheat composite crosses under organic and conventional conditions. *EUCARPIA 2nd Conference of the Organic and Low-Input Agriculture Section*. (pp. 51-54). Paris, France: Institut National de la Recherche Agronomique (INRA).
- Foulkes, M., Sylvester-Bradley, R., Weightman, R., & Snape, J. (2007). Identifying physiological traits associated with improved drought resistance in winter wheat. *Field Crops Research*, 103(1), 11-24.
- Frison, E. A., Cherfas, J., & Hodgkin, T. (2011). Agricultural biodiversity is essential for a sustainable improvement in food and nutrition security. *Sustainability*, 3(1), 238-253.
- Frison, E. A., Smith, I. F., Johns, T., Cherfas, J., & Eyzaguirre, P. B. (2006). Agricultural biodiversity, nutrition, and health: making a difference to hunger and nutrition in the developing world. *Food and Nutrition Bulletin*, 27(2), 167-179.
- Gao, X., & Giorgi, F. (2008). Increased aridity in the Mediterranean region under greenhouse gas forcing estimated from high resolution simulations with a regional climate model. *Global and planetary change*, 62(3), 195-209.
- García, G. A., Serrago, R. A., Appendino, M. L., Lombardo, L. A., Vanzetti, L. S., Helguera, M., & Miralles, D. J. (2011). Variability of duration of pre-anthesis phases as a strategy for increasing wheat grain yield. *Field Crops Research*, 124(3), 408-416.
- Ghiselli, L., Rossi, E., Whittaker, A., Dinelli, G., Baglio, A. P., Andrenelli, L., & Benedettelli, S. (2016). Nutritional characteristics of ancient Tuscan varieties of *Triticum aestivum* L. *Italian Journal of Agronomy*, 11(4), 237-245.
- Giorgi, F., & Lionello, P. (2008). Climate change projections for the Mediterranean region. *Global and planetary change*, 63(2), 90-104.
- Goddard, L., Baethgen, W. E., Bhojwani, H., & Robertson, A. W. (2014). The International Research Institute for Climate & Society: why, what and how. *Earth Perspectives*, 1(1), 10.
- Godfray, H. C. J., Beddington, J. R., Crute, I. R., Haddad, L., Lawrence, D., Muir, J. F., Pretty, J., Robinson, S., Thomas, S. M., & Toulmin, C. (2010). Food security: the challenge of feeding 9 billion people. *Science*, 327(5967), 812-818.
- Goldringer, I., Dawson, J., Rey, F., Vettoretti, A., Chable, V., Lammerts, v. B., E, Finckh, M., & Barot, S. (2010). Breeding for resilience: a strategy for organic and low-input farming systems? *EUCARPIA 2nd Conference of the Organic and Low-Input Agriculture Section*. Paris, France: Institut National de la Recherche Agronomique (INRA).
- Goldringer, I., Enjalbert, J., David, J., Paillard, S., Pham, J.-L., & Brabant, P. (2001). Dynamic management of genetics resources: a 13-year experiment on wheat. In H. D. Cooper, C. Spillane & T. Hodgkin (Eds.), *Broadening the genetic base of crop production* (pp. 245-260). New York: CABI.

- Grando, S., Von Bothmer, R., & Ceccarelli, S. (2001). Genetic diversity of barley: use of locally adapted germplasm to enhance yield and yield stability of barley in dry areas. In H. D. Cooper, C. Spillane & T. Hodgkin (Eds.), *Broadening the genetic base of crop production* (pp. 351-372). New York: CABI.
- Greene, A. M., Goddard, L., & Cousin, R. (2011). Web tool deconstructs variability in twentieth - century climate. *Eos, Transactions American Geophysical Union*, 92(45), 397-398.
- Guóth, A., Tari, I., Gallé, Á., Csiszár, J., Pécsváradi, A., Cseuz, L., & Erdei, L. (2009). Comparison of the Drought Stress Responses of Tolerant and Sensitive Wheat Cultivars During Grain Filling: Changes in Flag Leaf Photosynthetic Activity, ABA Levels, and Grain Yield. *Journal of Plant Growth Regulation*, 28(2), 167-176.
- Halewood, M. (2016). *Farmers' crop varieties and farmers' rights: challenges in taxonomy and law*. London: Routledge.
- Hallegatte, S., Hourcade, J.-C., & Ambrosi, P. (2007). Using climate analogues for assessing climate change economic impacts in urban areas. *Climatic Change*, 82(1-2), 47-60.
- Harlan, H., & Martini, M. L. (1938). The effect of natural selection in a mixture of barley varieties. *Journal of Agricultural Research*, 57(3).
- Harlan, H. V., & Martini, M. L. (1929). A composite hybrid mixture. *Agronomy Journal*, 21(4), 487-490.
- Hartmann, D. L., Tank, A. M. K., Rusticucci, M., Alexander, L. V., Brönnimann, S., Charabi, Y. A. R., Dentener, F. J., Dlugokencky, E. J., Easterling, D. R., & Kaplan, A. (2013). Observations: atmosphere and surface. In T. Stocker & D. Qin (Eds.), *IPCC, 2013: Climate Change 2013 the Physical Science Basis: Working Group I Contribution to the Fifth Assessment Report of the Intergovernmental Panel on Climate Change* (pp. 159-244). Cambridge: Cambridge University Press.
- Hayes, M., Svoboda, M., Wall, N., & Widhalm, M. (2011). The Lincoln declaration on drought indices: universal meteorological drought index recommended. *Bulletin of the American Meteorological Society*, 92(4), 485-488.
- Hensleigh, P., Blake, T., & Welty, L. (1992). Natural selection on winter barley composite cross XXVI affects winter survival and associated traits. *Crop Science*, 32(1), 57-62.
- Hertig, E., & Trambly, Y. (2017). Regional downscaling of Mediterranean droughts under past and future climatic conditions. *Global and planetary change*, 151, 36-48.
- Hijmans, R. J., Cameron, S. E., Parra, J. L., Jones, P. G., & Jarvis, A. (2005). Very high resolution interpolated climate surfaces for global land areas. *International Journal of Climatology*, 25(15), 1965-1978.
- Högy, P., Wieser, H., Köhler, P., Schwadorf, K., Breuer, J., Erbs, M., Weber, S., & Fangmeier, A. (2009). Does elevated atmospheric CO₂ allow for sufficient wheat grain quality in the future? *Journal of Applied Botany and Food Quality*, 82(2), 114-121.
- Hucl, P. (1996). Out-crossing rates for 10 Canadian spring wheat cultivars. *Canadian Journal of Plant Science*, 76(3), 423-427.
- Huntingford, C., Lambert, F. H., Gash, J. H., Taylor, C. M., & Challinor, A. J. (2005). Aspects of climate change prediction relevant to crop productivity. *Philosophical Transactions of the Royal Society of London B: Biological Sciences*, 360(1463), 1999-2009.
- Ibrahim, K., & Barrett, J. (2001). Evolutionary changes in Cambridge composite cross five of barley. In H. D. Cooper, C. Spillane & T. Hodgkin (Eds.), *Broadening the genetic base of crop production*. (pp. 271-282). New York: CABI.

- ISPRA. (2016). *Gli Indicatori del Clima in Italia 2016* (Vol. 72/2017). Rome, Italy: Istituto Superiore per la Protezione e la Ricerca Ambientale.
- Istituto Aeronautica Militare. (2009). Atlante climatico d'Italia. Italy: Ministry of Defence.
- Iverson, A. L., Marín, L. E., Ennis, K. K., Gonthier, D. J., Connor - Barrie, B. T., Remfert, J. L., Cardinale, B. J., & Perfecto, I. (2014). Do polycultures promote win - wins or trade - offs in agricultural ecosystem services? A meta - analysis. *Journal of Applied Ecology*, 51(6), 1593-1602.
- Jarvis, A., Upadhyaya, H., Gowda, C., Aggarwal, P., Fujisaka, S., & Anderson, B. (2015). Plant genetic resources for food and agriculture and climate change. In *Coping with climate change – the roles of genetic resources for food and agriculture*. Rome: Food and Agriculture Organisation of the United Nations.
- Jarvis, D. I., Hodgkin, T., Sthapit, B. R., Fadda, C., & Lopez-Noriega, I. (2011). An Heuristic Framework for Identifying Multiple Ways of Supporting the Conservation and Use of Traditional Crop Varieties within the Agricultural Production System. *Critical Reviews in Plant Sciences*, 30(1-2), 125-176.
- Jones, G. V., & Davis, R. E. (2000). Climate influences on grapevine phenology, grape composition, and wine production and quality for Bordeaux, France. *American Journal of Enology and Viticulture*, 51(3), 249-261.
- Jones, G. V., White, M. A., Cooper, O. R., & Storchmann, K. (2005). Climate change and global wine quality. *Climatic Change*, 73(3), 319-343.
- Jones, H., Hinchliffe, K., Clarke, S., Pearce, B., Gibbon, D., Lyon, F., Harris, F., Thomas, J., & Wolfe, M. (2006). A participatory methodology for large scale field trials in the UK.
- Jones, H., Lister, D. L., Bower, M. A., Leigh, F. J., Smith, L. M., & Jones, M. K. (2008). Approaches and constraints of using existing landrace and extant plant material to understand agricultural spread in prehistory. *Plant Genetic Resources*, 6(2), 98-112.
- Kamran, A., Kubota, H., Yang, R.-C., Randhawa, H. S., & Spaner, D. (2014). Relative performance of Canadian spring wheat cultivars under organic and conventional field conditions. *Euphytica*, 196(1), 13-24.
- Kidane, Y. G., Mancini, C., Mengistu, D. K., Frascaroli, E., Fadda, C., Pè, M. E., & Dell'Acqua, M. (2017). Genome Wide Association Study to Identify the Genetic Base of Smallholder Farmer Preferences of Durum Wheat Traits. *Frontiers in Plant Science*, 8(1230).
- Kinzer, E. (2013). *The Organisation and Financing of Organic Crop Breeding in Europe*. Unpublished Thesis, BSc International Development Studies, University College Cork, Cork, Ireland.
- Klaedtke, S. M., Caproni, L., Klauck, J., De La Grandville, P., Dutartre, M., Stassart, P. M., Chable, V., Negri, V., & Raggi, L. (2017). Short-Term Local Adaptation of Historical Common Bean (*Phaseolus vulgaris* L.) Varieties and Implications for In Situ Management of Bean Diversity. *International journal of molecular sciences*, 18(3), 493.
- Kokic, P., Howden, M., & Crimp, S. (2014). 99.999 per cent certainty humans are driving global warming: new study. *ECOS*, 2014(199).
- Konzmann, M., Gerten, D., & Heinke, J. (2013). Climate impacts on global irrigation requirements under 19 GCMs, simulated with a vegetation and hydrology model. *Hydrological Sciences Journal*, 58(1), 88-105.
- Kovács, G. (2006). The possible use of " founder effect " to produce locally adapted cereal" varieties. *Proceedings of the COST SUSVAR workshop on*

- Cereal crop diversity: Implications for production and products*. La Besse, France.
- Kravchenko, A. N., Snapp, S. S., & Robertson, G. P. (2017). Field-scale experiments reveal persistent yield gaps in low-input and organic cropping systems. *Proceedings of the National Academy of Sciences*, 114(5), 926-931.
- Lammerts van Bueren, E., & Wilbois, K. (2003). Proceedings of ECO-PB 1st International symposium on organic seed production and plant breeding, . 21-22 November 2002 Berlin, Germany.
- Larsson, H. (2006). Old cultural cereal varieties are broadening the genetic base for organic farming and will increase the quality for consumers. *Proceedings of the ECO-PB Workshop : "Participatory Plant Breeding : Relevance for Organic Agriculture ?* La Besse, France.
- Letter, D., Seidel, R., & Liebhardt, W. (2003). The performance of organic and conventional cropping systems in an extreme climate year. *American Journal of Alternative Agriculture*, 18(3), 146-154.
- Lim-Camacho, L., Ariyawardana, A., Lewis, G. K., Crimp, S. J., Somogyi, S., Ridoutt, B., & Howden, S. M. (2017). Climate adaptation of food value chains: the implications of varying consumer acceptance. *Regional Environmental Change*, 17(1), 93-103.
- Lin, C., & Binns, M. (1988). A method of analyzing cultivar x location x year experiments: a new stability parameter. *TAG Theoretical and Applied Genetics*, 76(3), 425-430.
- Lin, C.-S., Binns, M. R., & Lefkovitch, L. P. (1986). Stability analysis: where do we stand? *Crop Science*, 26(5), 894-900.
- Lionello, P. (2012). *The climate of the mediterranean region: from the past to the future*: Elsevier.
- Lionello, P., Malanotte-Rizzoli, P., Boscolo, R., Alpert, P., Artale, V., Li, L., Luterbacher, J., May, W., Trigo, R., & Tsimplis, M. (2006). The Mediterranean climate: an overview of the main characteristics and issues. Elsevier.
- López Noriega, I., Halewood, M., Galluzzi, G., Vernooy, R., Bertacchini, E., Gauchan, D., & Welch, E. (2013). How policies affect the use of plant genetic resources: the experience of the CGIAR. *Resources*, 2(3), 231-269.
- Lorenzetti, R. (2000). *The wheat science. The green revolution of Nazareno Strampelli* (Vol. Pubblicazioni degli archivi di Stato). Italy: Ministry of Cultural Affairs.
- Makowski, D., Asseng, S., Ewert, F., Bassu, S., Durand, J.-L., Li, T., Martre, P., Adam, M., Aggarwal, P. K., & Angulo, C. (2015). A statistical analysis of three ensembles of crop model responses to temperature and CO₂ concentration. *Agricultural and Forest Meteorology*, 214, 483-493.
- Maracchi, G., Sirotenko, O., & Bindi, M. (2005). Impacts of present and future climate variability on agriculture and forestry in the temperate regions: Europe. In *Increasing Climate Variability and Change* (pp. 117-135): Springer.
- Marro, M., & Succi, A. (1931). Coltivazione dei cereali, Sezione 1 - Frumento, Capitolo 8 - Scelta del seme. In E. torinese (Ed.), *Nuova Enciclopedia Agraria Italiana* (Vol. 5, pp. 62-64). Torino, Italy: Editrice torinese.
- McMaster, G. S., & Wilhelm, W. (1997). Growing degree-days: one equation, two interpretations. *Agricultural and Forest Meteorology*, 87(4), 291-300.
- Migliorini, P., Moschini, V., Tittarelli, F., Ciaccia, C., Benedettelli, S., Vazzana, C., & Canali, S. (2014). Agronomic performance, carbon storage and nitrogen utilisation of long-term organic and conventional stockless arable systems in Mediterranean area. *European Journal of Agronomy*, 52, 138-145.

- Migliorini, P., Spagnolo, S., Torri, L., Arnoulet, M., Lazzerini, G., & Ceccarelli, S. (2016). Agronomic and quality characteristics of old, modern and mixture wheat varieties and landraces for organic bread chain in diverse environments of northern Italy. *European Journal of Agronomy*, 79, 131-141.
- MiPAAF. (2017). <https://www.politicheagricole.it/flex/cm/pages/ServeBLOB.php/L/IT/IDPagina/309> [accessed: 16/8/2017]
- Moreira, P. (2006). Participatory maize breeding in Portugal. A case study. *Acta Agronomica Hungarica*, 54(4), 431-439.
- Müller, K. (2007). How to deal with the legal system related for small markets for organic cereals in Germany. *Difference models to finance breeding. International ECO-PB Workshop am* (Vol. 27, pp. 31-33).
- Murphy, K., Lammer, D., Lyon, S., Carter, B., & Jones, S. S. (2005). Breeding for organic and low-input farming systems: An evolutionary-participatory breeding method for inbred cereal grains. *Renewable Agriculture and Food Systems*, 20(1), 48-55.
- Murphy, K. M., Carter, A. H., & Jones, S. S. (2013). Evolutionary breeding and climate change. In *Genomics and breeding for climate-resilient crops* (pp. 377-389): Springer.
- Murray, U. (2011). *Farmer-Centred Participatory Approaches for Research - A Resource Book* (Vol. Unpublished). Addis Ababa: Irish Aid.
- Myers, S. S., Zanobetti, A., Kloog, I., Huybers, P., Leakey, A. D., Bloom, A. J., Carlisle, E., Dietterich, L. H., Fitzgerald, G., & Hasegawa, T. (2014). Increasing CO2 threatens human nutrition. *Nature*, 510(7503), 139-142.
- Nakicenovic, N., Alcamo, J., Grubler, A., Riahi, K., Roehrl, R., Rogner, H.-H., & Victor, N. (2000). *Special Report on Emissions Scenarios (SRES), A Special Report of Working Group III of the Intergovernmental Panel on Climate Change*: Cambridge University Press.
- Newton, A., Akar, T., Baresel, J., Bebeli, P., Bettencourt, E., Bladenopoulos, K., Czembor, J., Fasoula, D., Katsiotis, A., & Koutis, K. (2010). Cereal landraces for sustainable agriculture. A review. *Agronomy for Sustainable Development*, 30(2), 237-269.
- Olesen, J. E., Trnka, M., Kersebaum, K., Skjelvåg, A., Seguin, B., Peltonen-Sainio, P., Rossi, F., Kozyra, J., & Micale, F. (2011). Impacts and adaptation of European crop production systems to climate change. *European Journal of Agronomy*, 34(2), 96-112.
- Oliver, M. A., & Gregory, P. (2015). Soil, food security and human health: a review. *European Journal of Soil Science*, 66(2), 257-276.
- OSM. (2017). Open Street Map: user generated street maps. <http://openstreetmap.org/> [accessed: 15/8/2017]
- Phillips, S. L., & Wolfe, M. S. (2005). Evolutionary plant breeding for low input systems. *Journal of Agricultural Science*, 143(4), 245-254.
- Ponisio, L. C., M'Gonigle, L. K., Mace, K. C., Palomino, J., de Valpine, P., & Kremen, C. (2015). Diversification practices reduce organic to conventional yield gap. *Proc. R. Soc. B* (Vol. 282, pp. 20141396): The Royal Society.
- Ponti, L., Gutierrez, A. P., Ruti, P. M., & Dell'Aquila, A. (2014). Fine-scale ecological and economic assessment of climate change on olive in the Mediterranean Basin reveals winners and losers. *Proceedings of the National Academy of Sciences*, 111(15), 5598-5603.
- Porfiri, O. (2014). *I Frumenti - Dalle varietà al campo*. Savona: Pentagora.

- Porter, J. R., Howden, M., Smith, P., & Stokholm, M. S. (2017). Recasting Economics As If the Climate and Global Ecology Really Mattered. *Consilience*.
- QGIS, D. (2015). QGIS geographic information System. Open source geospatial Foundation project.
- Raggi, L., Ceccarelli, S., & Negri, V. (2016a). Evolution of a barley composite cross-derived population: an insight gained by molecular markers. *The Journal of Agricultural Science*, 154(1), 23-39.
- Raggi, L., Ciancaleoni, S., Torricelli, R., Terzi, V., Ceccarelli, S., & Negri, V. (2017). Evolutionary breeding for sustainable agriculture: Selection and multi-environmental evaluation of barley populations and lines. *Field Crops Research*, 204, 76-88.
- Raggi, L., Negri, V., & Ceccarelli, S. (2016b). Morphological diversity in a barley composite cross-derived population evolved under low-input conditions and its relationship with molecular diversity: indications for breeding. *The Journal of Agricultural Science*, 154(6), 943-959.
- Rahmanian, M., Salimi, M., Razavi, K., Haghighparast, R., Ceccarelli, S., & Razmkhah, A. (2016). Evolutionary populations: living gene banks in farmers' fields in Iran. *Farming Matters*.
- Ramirez, J., & Jarvis, A. (2008). High Resolution Statistically Downscaled Future Climate Surfaces. *International Center for Tropical Agriculture (CIAT); CGIAR Research Programme on Climate Change, Agriculture and Food Security (CCAFS), Cali, Colombia*.
- Ramírez-Villegas, J., Lau, C., Kohler, A., Jarvis, A., Arnell, N., Osborne, T. M., & Hooker, J. (2011). Climate analogues: finding tomorrow's agriculture today. *working paper No. 12 CGIAR Research Program on Climate Change, Agriculture and Food Security (CCAFS)*.
- RDCT. (2013). R Development Core Team (2013) R: A language and environment for statistical computing, R Foundation for Statistical Computing, Vienna, Austria. *R Foundation for Statistical Computing, Vienna, Austria*.
- Rhoné, B., Remoué, C., Galic, N., Goldringer, I., & Bonnin, I. (2008). Insight into the genetic bases of climatic adaptation in experimentally evolving wheat populations. *Molecular Ecology*, 17(3), 930-943.
- Rippke, U., Ramirez-Villegas, J., Jarvis, A., Vermeulen, S. J., Parker, L., Mer, F., Dieckrüger, B., Challinor, A. J., & Howden, M. (2016). Timescales of transformational climate change adaptation in sub-Saharan African agriculture. *Nature Climate Change*, 6(6), 605-609.
- Rockström, J., Steffen, W., Noone, K., Persson, Å., Chapin III, F. S., Lambin, E., Lenton, T., Scheffer, M., Folke, C., & Schellnhuber, H. J. (2009). Planetary boundaries: exploring the safe operating space for humanity. *Ecology and Society*, 14(2).
- Rodriguez-Alvarez, M. X. (2017). SpATS: Spatial Analysis of Field Trials with Splines in R. *Available at: <https://cran.r-project.org/web/packages/SpATS/index.html>*.
- Rodríguez-Álvarez, M. X., Lee, D.-J., Kneib, T., Durbán, M., & Eilers, P. (2015). Fast smoothing parameter separation in multidimensional generalized P-splines: the SAP algorithm. *Statistics and Computing*, 25(5), 941-957.
- Roeckl, C. (2002). Is organic plant breeding a public affair? *Proceedings of ECO-PB 1st International symposium on organic seed production and plant breeding*. Berlin, Germany.
- Rollins, J. A., Drosse, B., Mulki, M., Grando, S., Baum, M., Singh, M., Ceccarelli, S., & von Korff, M. (2013). Variation at the vernalisation genes Vrn-H1 and Vrn-H2 determines

- growth and yield stability in barley (*Hordeum vulgare*) grown under dryland conditions in Syria. *Theoretical and Applied Genetics*, 126(11), 2803-2824.
- Salvi, S., Porfiri, O., & Ceccarelli, S. (2013). Nazareno Strampelli, the 'Prophet' of the green revolution. *The Journal of Agricultural Science*, 151(1), 1-5.
- Sarker, A., Singh, M., & Erskine, W. (2001). Efficiency of spatial methods in yield trials in lentil (*Lens culinaris* ssp. *culinaris*). *The Journal of Agricultural Science*, 137(4), 427-438.
- Seufert, V., Ramankutty, N., & Foley, J. A. (2012). Comparing the yields of organic and conventional agriculture. *Nature*, 485(7397), 229-232.
- Shrestha, P., Subedi, A., Peroni, N., & de Boef, W. (2013). Community biodiversity management: Defined and contextualized. In W. de Boef (Ed.), *Community Biodiversity Management, Promoting Resilience and the Conservation of Plant Genetic Resources* (pp. 19-25). London: Routledge.
- Shukla, G. (1972). Some statistical aspects of partitioning genotype environmental components of variability. *Heredity*, 29(2), 237-245.
- Siam, M. S., & Eltahir, E. A. B. (2017). Climate change enhances interannual variability of the Nile river flow. *Nature Clim. Change*, 7(5), 350-354.
- Siepielski, A. M., Morrissey, M. B., Buoro, M., Carlson, S. M., Caruso, C. M., Clegg, S. M., Coulson, T., DiBattista, J., Gotanda, K. M., & Francis, C. D. (2017). Precipitation drives global variation in natural selection. *Science*, 355(6328), 959-962.
- Simmonds, N. W. (1995). The relation between yield and protein in cereal grain. *Journal of the Science of Food and Agriculture*, 67(3), 309-315.
- SINAB. (2017). Sistema d'Informazione Nazionale sull'Agricoltura Biologica. <http://www.sinab.it/content/bio-statistiche> [accessed: 18/8/2017]
- Singh, M., Malhotra, R., Ceccarelli, S., Sarker, A., Grando, S., & Erskine, W. (2003). Spatial variability models to improve dryland field trials. *Experimental Agriculture*, 39(2), 151-160.
- Sofi, F., Whittaker, A., Gori, A. M., Cesari, F., Surrenti, E., Abbate, R., Gensini, G. F., Benedettelli, S., & Casini, A. (2014). Effect of *Triticum turgidum* subsp. *turanicum* wheat on irritable bowel syndrome: a double-blinded randomised dietary intervention trial. *British Journal of Nutrition*, 111(11), 1992-1999.
- Sperling, L., Ashby, J., Weltzien, E., Smith, M., & McGuire, S. (2001). Base-broadening for client-oriented impact: insights drawn from participatory plant breeding field experience. *Broadening the Genetic Bases of Crop Production*. CAB International, Wallingford, UK, 419-435.
- Stocker, T. (2014). *Climate change 2013: the physical science basis: Working Group I contribution to the Fifth assessment report of the Intergovernmental Panel on Climate Change*: Cambridge University Press.
- Suneson, C. A. (1956). An evolutionary plant breeding method. *Agronomy Journal*, 48(4), 188-191.
- Tilman, D. (1998). The greening of the green revolution. *Nature*, 396(6708), 211-212.
- Tilman, D., Polasky, S., & Lehman, C. (2005). Diversity, productivity and temporal stability in the economies of humans and nature. *Journal of Environmental Economics and Management*, 49(3), 405-426.
- Toreti, A., & Desiato, F. (2008). Temperature trend over Italy from 1961 to 2004. *Theoretical and Applied Climatology*, 91(1), 51-58.

- Toreti, A., Fioravanti, G., Perconti, W., & Desiato, F. (2009). Annual and seasonal precipitation over Italy from 1961 to 2006. *International Journal of Climatology*, 29(13), 1976-1987.
- Torri, L., Migliorini, P., & Masoero, G. (2013). Sensory test vs. electronic nose and/or image analysis of whole bread produced with old and modern wheat varieties adjuvanted by means of the mycorrhizal factor. *Food Research International*, 54(2), 1400-1408.
- Trnka, M., Olesen, J. E., Kersebaum, K. C., Skjelvåg, A. O., Eitzinger, J., Seguin, B., PELTONEN - SAINIO, P., Rötter, R., Iglesias, A., & Orlandini, S. (2011). Agroclimatic conditions in Europe under climate change. *Global Change Biology*, 17(7), 2298-2318.
- Trnka, M., Rötter, R. P., Ruiz-Ramos, M., Kersebaum, K. C., Olesen, J. E., Zalud, Z., & Semenov, M. A. (2014). Adverse weather conditions for European wheat production will become more frequent with climate change. *Nature Climate Change*, 4(7), 637.
- Tubiello, F. N., Donatelli, M., Rosenzweig, C., & Stockle, C. O. (2000). Effects of climate change and elevated CO₂ on cropping systems: model predictions at two Italian locations. *European Journal of Agronomy*, 13(2), 179-189.
- UNFCCC. (2015). Adoption of the Paris Agreement. <https://unfccc.int/resource/docs/2015/cop21/eng/l09r01.pdf>, FCCC/CP/2015/L.9/Rev.1.
- Utz, H., Bohn, M., & Melchinger, A. (2001). Predicting progeny means and variances of winter wheat crosses from phenotypic values of their parents. *Crop Science*, 41(5), 1470-1478.
- Van der Zeijden, D. (2002). The economics of Bejo's organic seed programme. *Proceedings of ECO-PB 1st international symposium on organic seed production and plant breeding* (pp. 21-22). Berlin, Germany.
- Vavilov, N. I., & Dorofeev, V. F. (1992). *Origin and geography of cultivated plants*: Cambridge University Press.
- Vermeulen, S. J., Challinor, A. J., Thornton, P. K., Campbell, B. M., Eriyagama, N., Vervoort, J. M., Kinyangi, J., Jarvis, A., Läderach, P., Ramirez-Villegas, J., Nicklin, K. J., Hawkins, E., & Smith, D. R. (2013). Addressing uncertainty in adaptation planning for agriculture. *Proceedings of the National Academy of Sciences*, 110(21), 8357-8362.
- Vezzoli, R., Mercogliano, P., Pecora, S., Zollo, A., & Cacciamani, C. (2015). Hydrological simulation of Po River (North Italy) discharge under climate change scenarios using the RCM COSMO-CLM. *Science of The Total Environment*, 521, 346-358.
- Villa, T. C. C., Maxted, N., Scholten, M., & Ford-Lloyd, B. (2005). Defining and identifying crop landraces. *Plant Genetic Resources*, 3(3), 373-384.
- Von Hippel, E. (2005). Democratizing innovation: The evolving phenomenon of user innovation. *Journal für Betriebswirtschaft*, 55(1), 63-78.
- Wada, Y., Wisser, D., Eisner, S., Flörke, M., Gerten, D., Haddeland, I., Hanasaki, N., Masaki, Y., Portmann, F. T., & Stacke, T. (2013). Multimodel projections and uncertainties of irrigation water demand under climate change. *Geophysical Research Letters*, 40(17), 4626-4632.
- Walker, T. S. (2006). Participatory varietal selection, participatory plant breeding, and varietal change. W. Bank (Ed.), *Background paper for the World Development Report 2008*. Washington, DC: World Bank.
- Wilkinson, G., Eckert, S., Hancock, T., & Mayo, O. (1983). Nearest neighbour (NN) analysis of field experiments. *Journal of the Royal Statistical Society. Series B (Methodological)*, 151-211.

- Williams, J. W., Jackson, S. T., & Kutzbach, J. E. (2007). Projected distributions of novel and disappearing climates by 2100 AD. *Proceedings of the National Academy of Sciences*, 104(14), 5738-5742.
- Witcombe, J. (2001). The impact of decentralized and participatory plant breeding on the genetic base of crops. In H. D. Cooper, C. Spillane & T. Hodgkin (Eds.), *Broadening the genetic base of crop production* (pp. 407-417). New York: CABI.
- Woldeamlak, A., Grando, S., Maatougui, M., & Ceccarelli, S. (2008). Hanfets, a barley and wheat mixture in Eritrea: yield, stability and farmer preferences. *Field Crops Research*, 109(1), 50-56.
- Wolfe, M. (1985). The current status and prospects of multiline cultivars and variety mixtures for disease resistance. *Annual review of phytopathology*, 23(1), 251-273.
- Wolfe, M., Baresel, J., Desclaux, D., Goldringer, I., Hoad, S., Kovacs, G., Löschenberger, F., Miedaner, T., Østergård, H., & Van Bueren, E. L. (2008). Developments in breeding cereals for organic agriculture. *Euphytica*, 163(3), 323.
- World Bank. (2008). *World Development Report 2008 - Agriculture for Development*. Washington, DC: World Bank.
- Yan, W. (2001). GGEbiplot—A Windows application for graphical analysis of multi-environment trial data and other types of two-way data. *Agronomy Journal*, 93(5), 1111-1118.
- Yan, W., & Rajcan, I. (2002). Biplot analysis of test sites and trait relations of soybean in Ontario. *Crop Science*, 42(1), 11-20.
- Yan, W., & Tinker, N. A. (2005). An integrated biplot analysis system for displaying, interpreting, and exploring genotype $\times$ environment interaction. *Crop Science*, 45(3), 1004-1016.
- Yau, S., & Hamblin, J. (1994). Relative yield as a measure of entry performance in variable environments. *Crop Science*, 34(3), 813-817.
- Zuppiroli, M. (2013). GLI SCAMBI CON L'ESTERO DEL SISTEMA AGROALIMENTARE ITALIANO. Bologna: Coop-Italia.